

Whole-Genome Shotgun Sequencing of the Extremophile *Alkalibacillus haloalkaliphilus* C-5, of Indian Origin

C. M. Rawal, V. H. Raval, H. D. Bhimani, D. V. Bhensdadia,
C. R. Kothari, A. B. Patel, V. D. Bhatt, N. R. Parmar, M. R.
Sajnani, P. G. Koringa, C. G. Joshi, R. K. Kothari and S. P.
Singh
J. Bacteriol. 2012, 194(17):4775. DOI: 10.1128/JB.01031-12.

Updated information and services can be found at:
<http://jb.asm.org/content/194/17/4775>

REFERENCES

These include:

This article cites 5 articles, 1 of which can be accessed free at:
<http://jb.asm.org/content/194/17/4775#ref-list-1>

CONTENT ALERTS

Receive: RSS Feeds, eTOCs, free email alerts (when new
articles cite this article), [more»](#)

Information about commercial reprint orders: <http://journals.asm.org/site/misc/reprints.xhtml>
To subscribe to to another ASM Journal go to: <http://journals.asm.org/site/subscriptions/>

Whole-Genome Shotgun Sequencing of the Extremophile *Alkalibacillus haloalkaliphilus* C-5, of Indian Origin

C. M. Rawal,^{a,b} V. H. Raval,^a H. D. Bhimani,^a D. V. Bhensdadia,^c C. R. Kothari,^b A. B. Patel,^d V. D. Bhatt,^d N. R. Parmar,^d M. R. Sajnani,^d P. G. Koringa,^d C. G. Joshi,^d R. K. Kothari,^c and S. P. Singh^a

Department of Biosciences, Saurashtra University, Rajkot, Gujarat, India^a; Department of Biotechnology, Christ College, Rajkot Gujarat, India^b; Department of Microbiology, Christ College, Rajkot Gujarat, India^c; and Department of Animal Biotechnology, College of Veterinary Science and Animal Husbandry, Anand Agricultural University, Anand, India^d

***Alkalibacillus haloalkaliphilus* C-5 is a haloalkaliphilic bacterium that was isolated from a soil sample from the salty Sambhar Lake, Rajasthan, India. The organism is capable of alkaline protease production under conditions of pH 10 and 10% (wt/vol) salt. We sequenced and have reported the whole genome of *Alkalibacillus haloalkaliphilus* C-5, of Indian origin, for the first time.**

Haloalkaliphilic bacteria, a group of organisms with twin extremities of pH and salinity, have been investigated after isolation from a variety of habitats (2, 3, 4, 5). The limited studies on the unique applications of extremophiles indicate that the unique “survival strategies” available for these organisms can be a great source of novel commercial applications. Their robust biocatalysts and unique metabolic capabilities are the major points of attractions of the organisms for developing processes for bioremediation and other biotechnological applications. Such important molecules from these microbes from unexplored and extreme habitats have recently prompted interest among scientific communities and industry (6). Most of the studies (4) on haloalkaliphilic bacteria, however, have so far focused on phylogenetic analyses of the organisms, and only limited information is available on their genomics and other potential biotechnology applications.

Alkalibacillus haloalkaliphilus C-5 was isolated from a saline soil sample from Sambhar Lake, Rajasthan, India. It is an aerobic, Gram-positive, rod-shaped organism. It shows optimal growth at pH 10, 10% (wt/vol) NaCl, and 37°C. It produces a thermophilic serine protease. The genome sequence for *Alkalibacillus haloalkaliphilus* C-5 was determined to help us understand its physiology and enzymatic potentials.

The whole-genome sequencing of *Alkalibacillus haloalkaliphilus* C-5 was performed using an Ion Torrent PGM sequencer. The data generated from the genomic library contained 419,990 reads and 46,141,879 nucleotide bases, with an average read length of 110 bases. Assembly using Newbler version 2.6 generated a 2,913,611-bp single chromosome. The genome annotation and comparative analysis of the genome were performed using the RAST program (rapid annotation using subsystem technology) (1). The organism has a GC content of 37.1%, with 3,160 predicted coding regions and 55 RNA genes. Of the 55 RNA genes, 52 code for tRNA, 2 for RNA, and 1 is for 5S RNA. For metabolic reconstruction, metabolic subsystems were assembled to create a metabolic reaction network for *Alkalibacillus haloalkaliphilus* C-5.

The subsystem analysis revealed various genes involved in (i) metabolic pathways of cofactors, vitamins, prosthetic groups, and pigments, (ii) cell wall and capsule, (iii) virulence, disease, and defense, (iv) potassium metabolism, (v) membrane transport, (vi) iron acquisition and metabolism, (vii) RNA and protein metabo-

lism, (viii) cell division and regulation, (ix) cell signaling, (x) DNA metabolism, (xi) nitrogen metabolism, (xii) sporulation, (xiii) stress responses, (xiv) metabolism of aromatic compounds, amino acids, and derivatives, and (xv) sulfur, phosphorous, and carbohydrate metabolism. The presence of genes related to osmotic stress, oxidative stress, heat shock, and other sources of stress explain the organism's possible survival strategy in such a hypersaline environment.

Nucleotide sequence accession number. The complete sequence of the *Alkalibacillus haloalkaliphilus* C-5 genome can be accessed under GenBank accession number [AKIF000000000](https://www.ncbi.nlm.nih.gov/nuclot/524811111).

ACKNOWLEDGMENT

The project was funded by C. M. Rawal under his postgraduate research program.

REFERENCES

1. Aziz RK, et al. 2008. The RAST server: rapid annotations using subsystems technology. *BMC Genomics* 9:75. doi:10.1186/1471-2164-9-75.
2. Jeon CO, et al. 2005. Reclassification of *Bacillus haloalkaliphilus* Fritze 1996 as *Alkalibacillus haloalkaliphilus* gen. nov., comb. nov. and the description of *Alkalibacillus salilacus* sp. nov., a novel halophilic bacterium isolated from a salt lake in China. *Int. J. Syst. Evol. Microbiol.* 55:1891–1896.
3. Kalyuzhnaya MG, et al. 2008. Classification of halo(alkali)philic and halo(alkali)tolerant methanotrophs provisionally assigned to the genera *Methylobaculum* and *Methylobacter* and emended description of the genus *Methylobaculum*. *Int. J. Syst. Evol. Microbiol.* 58:591–596.
4. Singh SP, et al. 2012. Haloalkaliphilic bacteria and actinobacteria from the saline habitats: new opportunities for biocatalysis and bioremediation, p 415–429. In Satyanarayana T, Johri BN, Prakash A (ed), *Microorganisms in environmental management: microbes and environment*. Springer, Dordrecht, Netherlands.
5. Sorokin DY, et al. 2005. Haloalkaliphilic sulfur-oxidizing bacteria in soda lakes. *FEMS Microbiol. Rev.* 29:685–702.
6. Wilson ZE, et al. 2009. Molecules derived from the extremes of life. *Nat. Prod. Rep.* 26:44–71.

Received 12 June 2012 Accepted 19 June 2012

Address correspondence to P. G. Koringa, prakashkoringa@gmail.com.

Copyright © 2012, American Society for Microbiology. All Rights Reserved.

doi:10.1128/JB.01031-12